



签

Fire briefing of ZJU

2017

2

13

<http://bwb.zju.edu.cn>

88981526

yxyyn99@zju.edu.cn

149



contents

01 推
03

04

06 2017
06
07
07
08

09

10 利 办
11



4

校防火委员会关于开展今冬明春火灾防控系列活动的通知

中共浙江大学委员会办公室 浙江大学校长办公室印发《校园安全隐患排查与整治活动方案》和《校园环境与健康整治方案》的通知

党办、校办联合

文号：浙大党办〔2017〕10号

6

10

24

9

45

252

8

2

28

3

8000

9


11

12

4

10

2



5

25

11

33



2016

72

38

136

11





1 2 21 19 10

20
19 46

300m²

100m²

2 22



2 4 16

3 4 29 17 3

175

173





2017 1 1 -5 8

1

2

1

1	1	1 13	3	3
2		1 17	3	3
3		2 21	2	2
4		3 3	1	1
5		3 7	5	5
6		3 14	6	6
7		3 14	2	2
8		3 15	11	10
9		3 15	2	2
10		3 17	14	13
11		3 21	4	4
12		3 22	3	3
13		3 22	12	12
14		3 28	4	4
15		3 29	18	12
16		3 30	15	7
17		4 11	8	8
18		4 14	8	4
19		4 18	8	8
20		4 20	6	4
21		4 25	7	0
22		4 25	3	3
23		4 27	19	12
24		5 4	11	4

2

/

2017 2 21 19 10

1
2017 2 23

B 809

2
2017 4 5

2017 4 16 22:25

1
2017 4 17 24

1
2017 4 18

3 117
2017 4 21

2
2017 4 25

B B388 B369 B201-B B226 B243 B294 B296 C1316 C
1320
2017 5 4

D708 D518 D412 D312 D603
2017 5 4

2017

3 2

2017



2 21



3 3





3 7
2 5

18



5 3

14 12

609


14 15

14 16



5 3 4

9




9

4 13

1

2

3





120

2016

25

2016

8000


2016

31.2

9.5


30.4%

2016年火灾事故原因统计 (百分比)



37.5% 62.5% 66.7%

近三年我校火情统计 (起)



2016年我校设备资产统计情况 (台/套)

电气设备类别	数量
仪器、仪表	93774
机电设备	42919
电子设备	100705
印刷机械设备	720
卫生医疗器械	4243
行政办公设备	6723
合计	249074

1

2

3

UPS

4

警示录之

4 11 4 58

6 14

3



4 22 4 30

5 30

50

5

2017 4 24 10

33

30



2017 8
 499 234 8
 2 2 5
 18 18
 2 25
 10 13
 22 86 9
 366.5

